

CHS

"CHS" DYNAMOMETRE ELECTRONIQUE COMPACT



Dynamomètre électronique compact pour tous les usages.

La solution idéale pour
les applications industrielles
évoluées

CARACTERISTIQUES PRINCIPALES

- Afficheur LCD rétro éclairé à 5 chiffres.
- Clavier étanche à 3 touches: on/off, hold/unité, zéro/tare.
- Alimentation par 3 piles AAA de 1.5V (inclus).
- Température de fonctionnement 0°C à 40°C.
- Colisage: 240 x 130 x 80 mm Carton - Poids 625g.
- Sur demande: Certificat d'étalonnage avec masses étalons certifiées ACCREDIA.

FONCTIONS

- Hold (blocage du poids);
- conversion kg/lb;
- tare semi automatique;
- zéro;
- calibration digitale;
- auto veille.

VERSIONS

Versions disponibles

| Codice | Max (kg) | d (g) |
|--------|-------------|----------|
| CHS20 | 20 | 10 |



“YOUR WORLDWIDE PARTNER FOR WEIGHING”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE