

CLV

CLV : CHAPE POUR LES SUPPORTS ROTULES RBJ



Chape en acier pour une installation simple des capteurs à traction. En combinaison avec les supports rotulés RBJ, elles permettent l'alignement correct de la charge suspendue.

La solution idéale pour
les applications industrielles
évoluées

CARACTERISTIQUES PRINCIPALES

- Construit en acier galvanisé.
- Simple et pratique à installer.
- Equipé d'un embout fileté pour faciliter l'installation au système de soutien.
- Axe de blocage fourni, avec un système rapide de blocage / déblocage.

DETAIL 1



DETAIL 2



Chape CLV avec l'axe et les seegers.

DETAIL 3





“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE