

RSCBUSB

CÂBLE CONVERTISSEUR RS232/RS485 - USB



Câble convertisseur RS232/RS485 - USB, indispensable pour la configuration et la maintenance des indicateurs de poids Dini Argeo. La connexion est rapide et facile, avec son connecteur rapide RJ11 côté balance.

La solution idéale pour
les applications industrielles
évoluées

CARACTÉRISTIQUES PRINCIPALES

- Longueur : environ 1,5m
- Connecteurs :
 - RJ11 pour la connexion rapide au port série RS232, fourni en standard sur connecteur femelle RJ11 disponible sur tous les indicateurs Dini Argeo.
 - DB9 (RSCBUSBKR)
 - USB sur le côté du PC.
- Caractéristiques minimales du système :
 - Windows 7 ou supérieur.
 - Port USB 2.0 ou supérieur.
 - Drivers de communication intégrés dans le programme Dinitools.



www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE