

## JB4PLUS

"JB4PLUS": BOITE DE JONCTION EGALISEE AVEC PROTECTION CONTRE LES SURTENSIONS, JUSQU'À 4 CAPTEURS



Boîte de jonction avec protection IP67 à 4 entrées spécifiques pour les milieux extérieurs. Elle peut être utilisée comme boîte d'égalisation ou de jonction simple de 2, 3 ou 4 capteurs. Borniers à vis pour faciliter la connexion et trimmer de réglage du signal, pour une égalisation précise et fiable. Le circuit de protection protège contre les foudres et les surtensions.

La solution idéale pour  
les applications industrielles  
évoluées

## CARACTERISTIQUES TECHNIQUES

- Boîtier en ABS. Degré de protection IP67.
- Tension maximal en entrée 5Vdc.
- Courant maximal en entrée 700mA.
- Signal maximal capteur en entrée 1000mV.
- Courant d'impulsion de crête: 15kA.
- Effet de la température : 50ppm/°C.
- Dimensions (lxwxh) : 120x80x55 mm.



[www.diniargeo.com](http://www.diniargeo.com)

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



#### COMPANY HEADQUARTERS

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE