

## JB4QA

“JBQA” BOITE DE JONCTION ET EGALISATION, JUSQU'À 4 CAPTEURS



Boîte de jonction IP67 à 4 entrées, équipée d'une carte électronique pour la jonction et l'égalisation de 2, 3 ou 4 capteurs. Borniers à vis pour faciliter la liaison des capteurs et le réglage du signal, pour une égalisation précise et fiable.

Marquage :

ATEX II 2G Ex ib IIC T6 Gb pour gaz

ATEX II 2D Ex tb IIIC T115°C Db IP65 pour les poussières.

## CARACTERISTIQUES TECHNIQUES

- Boîtier en ABS. Degré de protection IP67.
- Tension maximale en entrée 24Vdc.
- Courant maximal en entrée 700mA.
- Signal maximal capteur en entrée 1000mV.
- Effet de la température : 50ppm/°C.
- Dimensions (lxwxh) : 120x80x55 mm.



[www.diniargeo.com](http://www.diniargeo.com)

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



#### COMPANY HEADQUARTERS

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE