

JB4A

"JBA" BOITE DE JONCTION, JUSQU'À 4 CAPTEURS



Boîte de jonction IP67 à 4 entrées, pour la jonction de 2, 3 ou 4 capteurs. Marquage : ATEX II 2G Ex ib IIC T6 Gb pour gaz ATEX II 2D Ex tb IIIC T115°C Db IP65 pour les poussières.

La solution idéale pour
les applications industrielles
évoluées

CARACTERISTIQUES TECHNIQUES

- Boîtier en ABS. Degré de protection IP67.
- Tension maximale en entrée 24Vdc.
- Courant maximal en entrée 700mA.
- Signal maximal capteur en entrée 1000mV.
- Effet de la température : 50ppm/°C.
- Dimensions (lxwxh) : 120x80x55 mm.

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

**DINI ARGEO
FRANCE sarl**
France

**DINI ARGEO
GMBH**
Germany

**DINI ARGEO
UK Ltd**
United Kingdom

**DINI ARGEO WEIGHING
INSTRUMENTS Ltd**
China

**DINI ARGEO
OCEANIA**
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE