

JB4A

“JBA” BOITE DE JONCTION, JUSQU'À 4 CAPTEURS



Boîte de jonction IP67 à 4 entrées, pour la jonction de 2, 3 ou 4 capteurs. Marquage :
ATEX II 2G Ex ib IIC T6 Gb pour gaz
ATEX II 2D Ex tb IIIC T115°C Db IP65 pour les poussières.

La solution idéale pour
les applications industrielles
évoluées

CARACTERISTIQUES TECHNIQUES

- Boîtier en ABS. Degré de protection IP67.
- Tension maximale en entrée 24Vdc.
- Courant maximal en entrée 700mA.
- Signal maximal capteur en entrée 1000mV.
- Effet de la température : 50ppm/°C.
- Dimensions (lxwxh) : 120x80x55 mm.



www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE