

JB4AI

"JBAI" BOITE DE JONCTION INOX ATEX ZONE, JUSQU'À 4 CAPTEURS



Boîte de jonction en inox étanche IP66, pour la jonction de 1, 2, 3 ou 4 capteurs. Marquage :
ATEX II 2G Ex ib IIC T6 Gb pour gaz
ATEX II 2D Ex tb IIIC T115°C Db IP65 pour les poussières.

La solution idéale pour
les applications industrielles
évoluées

CARACTERISTIQUES TECHNIQUES

- Conçues et réalisées en accord avec la directive ATEX, groupe II catégorie 2GD, selon les normes IEC/EN60079-0, IEC/EN60079-11 et IEC/EN60079-31.
- Boîtier en inox.
- Presse-étoupe métalliques PG9.
- Degré de protection: IP66.
- Dimensions: 190x130x45mm (lxwxh).

NOTE: les dimensions ne sont pas compatibles pour le montage sur plateformes/pèse palettes à 4 capteurs.



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

**DINI ARGEO
FRANCE sarl**
France

**DINI ARGEO
GMBH**
Germany

**DINI ARGEO
UK Ltd**
United Kingdom

**DINI ARGEO WEIGHING
INSTRUMENTS Ltd**
China

**DINI ARGEO
OCEANIA**
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE