

DG30K

"DG30K" TRANSMETTEUR DE POIDS



Indicateur/transmetteur de poids permettant de réaliser des opérations de pesage, dosage et contrôle de niveau simples pour des silos, etc

La solution idéale pour
les applications industrielles
évoluées

CARACTERISTIQUES PRINCIPALES

- Clavier de fonctions étanche à 6 touches.
- Affichage à leds rouges avec digits de 20 mm.
- Jusqu'à 30.000 divisions affichables en résolution interne.
- Boîtier en aluminium anodisé noir répondant aux normes DIN, dimensions 72x144x145 mm, dimensions 140x67 mm pour montage en panneau.
- Étalonnage et paramétrage configurables par le clavier.
- Bloc d'alimentation 230 Vac (ou 110 Vac)
- Connexion jusqu'à max. 6 capteurs avec résistance d'entrée 350 Ohm.
- Driver pour imprimante.

FONCTIONS DU CLAVIER

- Remise à zéro, tare automatique, commande d'impression, 2 seuils de poids programmables.

SECTION ENTRES/SORTIES

- 2 sorties sur relais 230 Vac 1A (NO ou NC) configurables pour la programmation de seuils de poids.
- 1 entrée pour commande de tare à distance.



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

**DINI ARGEO
FRANCE sarl**
France

**DINI ARGEO
GMBH**
Germany

**DINI ARGEO
UK Ltd**
United Kingdom

**DINI ARGEO WEIGHING
INSTRUMENTS Ltd**
China

**DINI ARGEO
OCEANIA**
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE