

## JBQI

"JBQI" BOITE DE JONCTION INOX IP65



Boîte de jonction en inox étanche IP65. Equipée d'une carte électronique pour la jonction et l'égalisation de 4 ou 6 capteurs. Borniers à vis pour faciliter la liaison des capteurs et le réglage du signal, pour une égalisation précise et fiable.

La solution idéale pour  
les applications industrielles  
évoluées

## CARACTERISTIQUES TECHNIQUES

- Boîtier en inox.
- Degré de protection IP65.
- Tension maximale en entrée 24Vdc.
- Courant maximal en entrée 700mA.
- Signal maximal capteur en entrée 1000mV.
- Effet de la température: 50ppm/°C.
- Diodes de protection contre les surtensions ou les décharges électriques.
- 4 entrées capteur sur connecteur à vis ou connecteur à souder, pour le mod. JB4QI.
- 6 entrées capteur sur connecteur à vis ou connecteur à souder, pour le mod. JB6QI.
- Dimensions: 155x158x45mm (lxwxh) pour JB4QI.
- Dimensions: 190x132x50mm (lxwxh) pour JB6QI.

## DETAIL 1



JB6QI: Boite de jonction avec égalisation, en inox IP65.



[www.diniargeo.com](http://www.diniargeo.com)

“YOUR WORLDWIDE PARTNER FOR WEIGHING”

**DINI ARGEO**  
**FRANCE sarl**  
France

**DINI ARGEO**  
**GMBH**  
Germany

**DINI ARGEO**  
**UK Ltd**  
United Kingdom

**DINI ARGEO WEIGHING**  
**INSTRUMENTS Ltd**  
China

**DINI ARGEO**  
**OCEANIA**  
Australia



**COMPANY HEADQUARTERS**

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 843418

**SERVICE ASSISTANCE**

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE